




POLY VISCOSE ACID CONTI SUIT REFLECTIVE



POLYESTER

YKK

TRIPLE STITCHING

SANS 434 & ISO6530

Protection from the following chemicals:

HCl, H₂SO₄, NaOH, Caustic Soda

- 80/20 Poly Viscose
- 260-270gsm fabric
- A coated resistant fabric that doesn't allow wetting by acids or moisture
- YKK concealed metal zip on jackets and pants
- Fully triple stitched garment
- Mitred left breast pocket and jacket pockets
- 50mm lime/silver/lime reflective webbing tape on arms, chest, legs and a "X" on the back
- Protection in the event of accidental chemical spillage

Sizes:

- 30-64


Suitable Use:

- Chemical industry
- Cleaning industry
- Brewing industry
- Mining industry





PROMAX



- Type 5 and 6 disposable coverall
- Microporous spun bound polyethylene laminate fabric with bound seams
- Zip and storm flap front closing
- Non-Linting
- Good mechanical properties and performance
- Protects the arms, legs, torso and head from the hazards of light liquid sprays, chemical splashes and sprays, airborne solid particulates and antistatic dissipation
- Liquid penetration resistance against a basic range of chemicals:
 - Sulphuric Acid 30% - Class 3
 - Sodium Hydroxide 10% - Class 3
 - o-Xylene - Class 3
 - 1-Butanol - Class 3


Sizes: Small to 3XL

Suitable Use:

- Asbestos Removal
- Accident Attendance
- Fiber Exposure
- Painting and Spraying
- Clean Rooms
- General Maintenance



PROMAX C4000



- Type 3, 4, 5 and 6 disposable coverall
- Ultrasonic welded and taped seams preventing permeation, dust and liquid ingress
- Double zip and storm flap for secure front protection
- Double elasticated cuff with thumb loop
- Double layer cushioned knee pads for comfort and durability.
- Protects the arms, legs, torso and head from the hazards of light liquid sprays, chemical splashes and sprays, airborne solid particulates, radioactive contamination, antistatic dissipation and infective agents contact
- Resistance to penetration by blood/fluids, wet bacterial penetration, biologically contaminated aerosols & powders
- Permeation prevention against a basic range of chemicals:
 - Sulphuric Acid 96% - Class 3
 - Sodium Hydroxide 10% - Class 3
 - o-Xylene - Class 3
 - 1-Butanol - Class 3

Sizes: Small to 3XL

Suitable Use:

- Chemical Handling and Distribution
- Chemical Clean Ups
- Contaminated Land Cleaning
- Pathogens
- Oil Spill
- Tank Cleaning
- Petrochemical
- Refining Applications



**DH-FFM**

FULL FACE MASK



Certificate No. QHK 00703 ISO 9001:2000

- Polycarbonate anti-fog and impact resistant visor
- Compatible with Dromex unifix filters
- Peripheral optical vision of 220°
- TPR (Thermo Plastic Rubber) 5-point adjustable head harness
- Designed to withstand temperatures of up to $70 \pm 3^{\circ}\text{C}$
- Large face seal flange
- High efficiency exhalation valve
- Withstands a pull of 15kg
- One size fits all

Suitable Use:

- Chemical Industries
- Asbestos
- Painting
- Law Enforcement
- Sanding & Grinding
- Search & Rescue
- General Industrial



DCHEM

DURAM MASK

PERSONAL ESCAPE MASK



- An emergency lightweight fire retardant gas escape device
- Engineered to protect from toxic work environments
- The device can be donned in seconds, providing immediate respiratory protection
- Neck Seal provides perfect protection even with:
 - Spectacles
 - Facial hair, turban or fancy hair style
- Made of Neoprene (synthetic non-allergenic rubber)
- One size fits all

- CE, SANS & EN Approved
- ABEK Protection – 500 ppm for 30 litres per minute
- 99.5% Particle Filtration – P2
- Low Breathing Resistance
- Fit Factor – Minimum of 100, average of 200
- Donning Time - <10 seconds

Suitable Use:

- Chemical and Petrochemical Industries
- Sub-Contractors and Supply Chains
- Transportation of hazardous materials
- Railway Companies
- Mining and Heavy Machinery
- Marine
- Police, Military and Private Security



ULTICHEMPLUS

ULTI-CHEM^{PLUS}

EN 388



4343D

EN 374-5



EN 374-1

TYPE B



JKL

EN 407



X1XXXX



- *Premium* protection against chemicals, mechanical, contact heat and micro-organism hazards
- High performance Polyethylene, glass fibre, spandex
- Triple coated, lightweight nitrile glove with a micro foam finish
- Excellent dexterity & grip
- FDA (Food and Drug Administration) accredited
- Resistance to
 - J:** n-Heptane
 - K:** Sodium Hydroxide 40%
 - L:** Sulphuric Acid 96%

SIZE: 8 - 11

Suitable Use:

- Chemical handling as per EN 374
- Laboratories
- Sheet Metal Handling
- Assembly Work & Automotive

ULTI-CHEM

EN 388



4121X

EN 374-5



EN 374-1

TYPE B



AJKL



- Triple coated, lightweight nitrile glove with micro foam palm
- Protection against chemicals, mechanical and micro-organism risks.
- Excellent dexterity & grip
- FDA (Food and Drug Administration) accredited
- Resistance to
 - A:** Methanol
 - J:** n-Heptane
 - K:** Sodium Hydroxide 40%
 - L:** Sulphuric Acid 96%

SIZE: 8 - 11

Suitable Use:

- Chemical handling as per EN 374
- Cleaning Industry
- Janitorial Industry
- Environmental Clean-up



ULTICHEM



VIPER



VIPER PLUS

VIPER & VIPER^{PLUS}

EN 388



3131

EN 374-2



EN 374-3



AJKL

- **Viper:** 35cm length | **Viper Plus:** 60cm length
- Protection against chemicals, mechanical risks and micro-organisms
- Textured palm for grip in wet & oily conditions
- Comfortable cotton liner
- High abrasion protection and tear resistance
- Impermeable protection
- Resistance to
 - A:** Methanol
 - J:** n-Heptane
 - K:** Sodium Hydroxide 40%
 - L:** Sulphuric Acid 96%

SIZES: 9 & 10

Suitable Use:

- Chemical Processing & Handling as per EN 374
- Petrochemical
- Assembly & Metal Fabrication
- Waste Water & Water Treatment

Dromex
CUT5



MADE IN
CHINA
FORMER DESIGN
SIZES
DROMEX



55H2



55LF



QA2

SOLAR

EN 388

EN 407



454X

X2XXXX

- 100% Dromex Cut5 Fibre
- Heavy Weight Seamless Ergonomic Knit
- Organic Inner Lining
- Extra Length Knit Wrist
- Composite Knitted Wrist
- Ambidextrous
- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- Colour UV Resistance
- Lint Free & Washable

SIZES: 8 to 10

Suitable Use:

- Automotive Industry
- Glass Industry
- Steel Industry
- Machining
- Welding Industry
- Construction
- Clean Room Application

(Note these items are sold as individual units)

FOOD SERIES

EN 388

EN 407



454X

X2XXXX

- 100% Dromex Cut5 Fibre
- FDA Approved
- Seamless
- Composite Knitted Wrist
- Ambidextrous
- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- Colour UV Resistance
- Sanitized Treatment
- Extra Length
- Lint Free & Washable

SIZES: 7 to 11

Suitable Use:


- Food Processing
- Boning & Carving
- Fish Filleting
- Meal Preparation
- Food Handling

(Note these items are sold as individual units)

FULL LEATHER

EN 388

EN 407



4543

X2XXXX

- 100% Dromex Cut5 Fibre
- Seamless Taeki5 Ergonomic Liner
- Premium Leather
- 14cm Leather Cuff
- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- Heat Resistance

SIZES: 10

Suitable Use:

- Automotive Industry
- Glass Industry
- Steel Industry
- Machining & Welding
- Construction Industry
- Mining & Extraction Industry



55-M-Y

- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- Colour UV Resistance
- Lint Free & Washable

SIZES:

- 7 to 10



56-MY-2D

- 100% Dromex Cut5 Fiber
- Seamless Ergonomic Liner
- Reinforced Crotch Area
- Composite Knitted Wrist


DOUBLE DOTTED (56-MY-2D)

- PVC double dotted for better grip

SEAMLESS

EN 388

EN 407



454X

X2XXXX

Suitable Use:

- Automotive Industry
- Glass Industry
- Steel Industry
- Welding



55MJAO

- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance

SIZES:

- 10




55MJAXJSI

- 100% Dromex Cut5 Fibre
- Seamless Ergonomic Liner
- 55MJAO Fouchette Leather Palm
- 55MJAX Criss Cross Sewn Leather Palm
- Reinforced Leather finger tips
- 55MJAX PVC Dotted Back
- Composite Knitted Wrist

LEATHER SERIES

EN 388

EN 407



4542

X2XXXX

Suitable Use:


- Automotive Industry
- Glass Industry
- Steel Industry
- Machining & Welding
- Construction Industry
- Mining & Extraction



CAMO

EN 388

EN 407



4542

X1XXXX

- High Abrasion Resistance
- High Cut Protection
- High Dexterity
- Colour UV Resistance
- Lint Free & Washable
- 100% Dromex Cut5 Fibre
- Seamless Ergonomic Liner
- Ultra grip PU Anti-Slip Coating
- Reinforced Thumb Crotch
- Composite Knitted Wrist

SIZES: 8 to 11

Suitable Use:

- Military & Police
- Outdoor Hunting
- Mining & Extraction
- Search & Recovery




52J

NITRILE COATING

EN 388

EN 407



4542

X1XXXX

- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- High Grip Power
- Colour UV Resistance
- 100% Dromex Cut5 Fibre
- Ultra Grip Nitrile Coating
- Composite knitted wrist
- Colour UV Resistance
- Lint Free & Washable

SIZES: 7 to 11

Suitable Use:

- Automotive
- Glass Industry
- Steel Industry
- Chemical Handling
- Oil & Gas



57#

LATEX COATING

EN 388

EN 407



4543

X2XXXX

- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- High Grip Power
- Colour UV Resistance
- 100% Dromex Cut5 Fibre
- Ultra grip crinkle latex coating
- Seamless ergonomic liner
- Composite knitted wrist
- Lint Free & Washable

SIZES: 8 to 11

Suitable Use:

- Automotive
- Glass Industry
- Steel Industry
- Welding Industry
- Clean Room



59YSP



57H201B



57H201PLUS

CHEMICAL

EN 388



4543

EN 407



X2XXXX

EN 374



KLA

- 100% Dromex Cut5 Fibre
- HCT Nitrile Multilayers Technology
- Soft Organic Cotton Inner Liner
- **H201B** has Extended Cuffs
- **H201PLUS** 35cm Cut Resistant liquid chemical glove

- High Abrasion Resistance
- High Cut Resistance
- High Chemical Resistance
- High Contact Heat Resistance
- Colour UV Resistance
- Lint Free & Washable

Suitable Use:

- Automotive Industry
- Glass Industry
- Steel Industry
- Machining & Welding Industry
- Oil & Grease Environments
- Recycling & Waste Environments
- Mining Extraction Industry

SIZES: 10 (H201B) • 8 to 10 (H201PLUS)



50-60THV




50-135-TY



50-135-CAMO

SLEEVES

EN 388



454X

EN 407



X1XXXX

- 100% Dromex Cut5 Fibre
- With thumb hole
- High Abrasion Resistance
- High Contact Heat Protection
- High Cut Resistance
- Heat Resistance
- Colour UV Resistance
- Lint Free & Washable
- Breathable & Comfortable

SIZES:

- One size fits all

Suitable Use:

- Automotive Industry
- Glass Industry
- Steel Industry
- Machining & Welding
- Construction Industry
- Mining & Extraction Industry

(Note these items are sold as individual units)



MACH 777



- Cut Level 5
- Black Nitrigrrip & vibro-impact reinforced palm
- Grey back with black/lime IMPACT knuckle guard
- Neoprene cuff with reflective tape
- TPR on back of fingers & thumb
- Foamed padding on palm for anti-vibration
- Neoprene gauntlet cuff with reflective tape
- Black/Yellow high visibility TPR lobster finger impact protectors
- Grey leatherette continuous pull

SIZE: 7 to 11

Suitable Use:

- Outdoor Machinery
- Mining
- Automotive

See more on Pg. 99



MACH 777

MACH IMPACT 5



- Cut level 5
- Multi Function
- Impact Resistant
- Anti-vibration
- Checker Palm for Grip
- Waterproof
- Back of hand impact resistant TPR multi-colour pads
- Foam coated back of hand

SIZE: Small to XLarge

Suitable Use:

- Heavy Machinery
- Mining industry
- Oil and Gas industry
- Automotive / Aerospace
- Packaging / Assembling
- Drilling

See more on Pg. 100



MACH030WP

MACH MECHANIC



- Cut Level 5 Mechanical Glove
- Waterproof
- Impact Resistant
- Anti-vibration
- Oil Repellant Fabric
- Kevlar fabric patch & anti-vibration patch on palm
- TPR anti-impact patch on the fingers' back and knuckle
- Foam coated back of hand

SIZE: 8 to 11

Suitable For Use In:

- Heavy Machinery
- Mining industry
- Oil and Gas industry
- Automotive / Aerospace

See more on Pg. 100



MACH100WP

www.Hlatini.co.za



HLATINI

General

📞 Office: +27 (0)13 764 2279

📠 Fax: +27 (0)13 764 2998

✉ Email: negry@hlatini.co.za

📍 PO Box 646, Sabie, 1260, Mpumalanga South Africa

Store Manager

📞 Margaret van Rensburg: +27 (0)82 302 1896

✉ Email: sales@hlatini.co.za

Rep & Customer Relations

📞 Johan van Rensburg: +27 (0)72 648 2588

✉ Email: johan@hlatini.co.za

www.Hlatini.co.za